

**AMENDMENTS TO THE CLAIMS**

Please amend the claims as indicated hereafter (where underlining “\_” denotes additions and strikethrough “-” or “[ ]” denotes deletions).

**Claims:**

1. (Currently Amended) A method ~~multiple channel modulation method~~ comprising:

receiving a first portion of a data block on a first shared-communications channel;

receiving a second portion of said data block on a second shared-communications channel;

transmitting a first acknowledgment frame into said second shared-communications channel ~~only~~, wherein said first acknowledgment frame indicates receipt of said first portion and said second portion of said data block; and

transmitting a ~~second~~ duplicate first acknowledgment frame into said first shared-communications channel ~~only~~, wherein said ~~second~~ duplicate first acknowledgment frame indicates receipt of said first portion and said second portion of said data block.

2. (Original) The method of claim 1 wherein said first acknowledgment frame also indicates receipt of said second portion of said data block, and wherein said second acknowledgment frame also indicates receipt of said first portion of said data block.
3. (Original) The method of claim 1 wherein a first station transmits using said first shared-communications channel and said second shared-communications channel simultaneously and wherein a second station transmits using said first shared-communications channel only.
4. (Currently Amended) The method of claim 1 wherein said first acknowledgment frame and said ~~second~~ duplicate first acknowledgment frame are transmitted at substantially the same time.

5. (Currently Amended) A ~~method~~ multiple channel modulation method

comprising:

transmitting a first portion of a data block into a first shared-

communications channel;

transmitting a second portion of said data block into a second shared-

communications channel; ~~and~~

receiving a first acknowledgment frame on said second shared-

communications channel, wherein said first acknowledgment frame

indicates receipt of said first portion and said second portion of said

data block; and

receiving a second acknowledgment frame duplicative of the first

acknowledgement frame on said first shared-communications

channel, wherein said second acknowledgment frame indicates

receipt of said first portion and said second portion of said data

block.

6. (Canceled).

7. (Canceled).

8. (Original) The method of claim 5 wherein a first station transmits using said first shared-communications channel and said second shared-

communications channel simultaneously and wherein a second station transmits using said first shared-communications channel only.

9. (Original) The method of claim 5 wherein transmitting said first portion of said data block and transmitting said second portion of said data block occur (i) at substantially the same time and (ii) with the same modulation.

10. (Original) The method of claim 5 further comprising:  
transmitting a first control frame into said first shared-communications channel before transmitting said first portion of said data block; and  
transmitting a second control frame into said second shared-communications channel before transmitting said second portion of said data block.

11. (Original) The method of claim 10 wherein said first control frame is one of a Request\_to\_Send frame and a Clear\_to\_Send frame.

12. (Currently Amended) A multiple channel modulation method

comprising:

receiving ~~an acknowledgment~~ first and second duplicative

acknowledgements that ~~indicates~~ indicate receipt of ~~at least one a~~

first and second portion of a data block on ~~at least one of (i)~~ a first

shared-communications channel and ~~(ii)~~ a second shared-

communications channel; and

transmitting a portion of said data block into at least one of (i) said first

shared-communications channel and (ii) said second shared-

communications channel, wherein the choice of shared-

communications channel used for transmitting said portion is based

on (a) the contents of said acknowledgments and (b) the shared-

communications channel over which said ~~acknowledgment was~~

acknowledgements were received.

13. (Currently Amended) The method of claim 12 wherein said

acknowledgments comprise[[s]] at least one of (i) a first acknowledgment frame

received on said second shared-communications channel and (ii) a second

acknowledgment frame received on said first shared-communications channel.

14. (Original) The method of claim 13 wherein said first acknowledgment frame indicates receipt of at least one of (i) a first portion of said data block sent on said first shared-communications channel and (i) a second portion of said data block sent on said second shared-communications channel.

15. (Original) The method of claim 12 wherein transmitting said portion of said data block occurs over the combination of said first shared-communications channel and said second shared-communications channel.

16. (Currently Amended) An apparatus in a multiple channel modulation system comprising:

a receiver for:

- (i) receiving a first portion of a data block on a first shared-communications channel; and
- (ii) receiving a second portion of said data block on a second shared-communications channel; and

a transmitter for:

- (i) transmitting a first acknowledgment frame into said second shared-communications channel ~~only~~, wherein said first acknowledgment frame indicates receipt of said first portion and said second portion of said data block; and
- (ii) transmitting a duplicative second acknowledgment frame into said first shared-communications channel ~~only~~, wherein said second acknowledgment frame indicates receipt of said first portion and said second portion of said data block.

17. (Canceled).

18. (Original) The apparatus of claim 16 wherein said receiver and said transmitter constitute a first station and wherein a second station transmits using said first shared-communications channel only.

19. (Currently Amended) The apparatus of claim 16 wherein said transmitter transmits said first acknowledgment frame and said duplicative second acknowledgment frame at substantially the same time.
20. (Currently Amended) An apparatus in a multiple channel modulation system comprising:
- a transmitter for:
    - (i) transmitting a first portion of a data block into a first shared-communications channel; and
    - (ii) transmitting a second portion of said data block into a second shared-communications channel; and
  - a receiver for receiving a first acknowledgment frame on said second shared-communications channel, wherein said first acknowledgment frame indicates receipt of said first portion and said second portion of said data block; and
  - receiving a duplicative second acknowledgment frame on said first shared-communications channel, wherein said duplicative second acknowledgment frame indicates receipt of said first portion and said second portion of said data block.
21. (Canceled).
22. (Canceled).



23. (Original) The apparatus of claim 20 wherein said receiver and said transmitter constitute a first station and wherein a second station transmits using said first shared-communications channel only.
24. (Original) The apparatus of claim 20 wherein said transmitter transmits said first portion of said data block and said second portion of said data block (i) at substantially the same time and (ii) with the same modulation.
25. (Original) The apparatus of claim 20 wherein said transmitter is also for (i) transmitting a first control frame into said first shared-communications channel before transmitting said first portion of said data block and (ii) transmitting a second control frame into said second shared-communications channel before transmitting said second portion of said data block.
26. (Original) The apparatus of claim 25 wherein said first control frame is one of a Request\_to\_Send frame and a Clear\_to\_Send frame.

27. (Currently Amended) An apparatus in a multiple channel modulation system comprising:

a receiver for receiving ~~an~~ duplicative acknowledgments that indicate[[s]] receipt of ~~at least one~~ a first portion and a second portion of a data block on ~~at least one of~~ (i) a first shared-communications channel and (ii) a second shared-communications channel; and

a transmitter for transmitting a portion of said data block into at least one of (i) said first shared-communications channel and (ii) said second shared-communications channel, wherein the choice of shared-communications channel used for transmitting said portion is based on (a) the contents of said acknowledgments and (b) the shared-communications channel over which said ~~acknowledgment was~~ acknowledgements were received.

28. (Currently Amended) The apparatus of claim 27 wherein said acknowledgments comprise[[s]] ~~at least one of~~ (i) a first acknowledgment frame received on said second shared-communications channel and (ii) a duplicative second acknowledgment frame received on said first shared-communications channel.

29. (Currently Amended) The apparatus of claim 28 wherein said first acknowledgment frame indicates receipt of ~~at least one of~~ (i) a first portion of said data block sent on said first shared-communications channel and (i) a second portion of said data block sent on said second shared-communications channel.

30. (Original) The apparatus of claim 27 wherein transmitting said portion of said data block occurs over the combination of said first shared-communications channel and said second shared-communications channel.